



Product name : Moisturizing lotion

Sample No : 20150106A

Formulation :

	Ingredients	INCI Name	%
A.	SALACOS PG-180	POLYGLYCERYL-10 OLEATE	0.60
	SALACOS DG-180	POLYGLYCERYL-2 OLEATE	0.40
	NOMCORT HP-30	HYDROGENATED POLYDECENE	5.00
	T.I.O	TRIETHYLHEXANOIN	5.00
	BASIS LS-60CH	Hydrogenated Lecithin	0.10
	Cetyl Alcohol	Cetyl Alcohol	0.50
B.	1,3-BG	Butylene Glycol	16.20
	M.P	METHYLPARABENE	0.10
	Deionized Water	Water	50.607
C	KOH(10% aq.)	Potassium hydroxide	0.493
D.	Carbopol 980(2% aq)	Carbomer	15.00
E.	HPMC(2% aq.)	HYDROXYPROPYL METHYLCELLULOSE	0.09
	Deionized Water	Water	5.91

Procedure :

- 1、 Mix A phase in order, stirring at 80°C, mix and dissolve.
- 2、 Mix B phase in order, stirring at 80°C, mix and dissolve.
- 3、 Mix E phase.
- 4、 Add 【2】 to 【1】 slowly, stirring by blender at 1500 rpm, then Homo 3000rpm×3min
- 5、 Cooling 【4】 to 25°C
- 6、 Add C to 【5】 then Homo 3000 rpm
- 7、 Add D to 【6】 then Homo 3000 rpm
- 8、 Add 【3】 to 【7】 then Homo 3000 rpm

※This formula is for reference only. If it needs to be commercialized, please confirm the relevant test.

Prepare by Emily 2015/1/6

香林企業股份有限公司 KALIN ENTERPRISE CO.,LTD

總公司:11670台北市文山區景文街46之1號10樓
電話: + 886 289313301 傳真: + 886 289313323 統編:70840978

怡滙國際貿易(上海)有限公司 電話: + 86 21 54240077
香林企業股份有限公司(廣州辦事處) 電話: + 86 20 38889468